

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

## 1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Cartridges & Pellets, Division 1.4**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Explosive product.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Owen Oil Tools LP  
12001 County Road 1000  
P.O. Box 765  
Godley, TX 76044 USA  
Phone: (817) 551-0660
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

## 2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.



exploding bomb

Expl. 1.4                    H204 Fire or projection hazard.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

R5-44: Heating may cause an explosion. Risk of explosion if heated under confinement.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

Trade name: Cartridges &amp; Pellets, Division 1.4

(Contd. of page 1)

- **Hazard pictograms**



GHS01

- **Signal word** Warning

- **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H204 Fire or projection hazard.

H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P280 Wear face protection.

P273 Avoid release to the environment.

P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

P401 Store in accordance with local/regional/national/international regulations.

- **Additional information:**

EUH044 Risk of explosion if heated under confinement.

Can become highly flammable in use.

- **Hazard description:**

- **WHMIS-symbols:**

F - Dangerously reactive material



- **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 3

Reactivity = 3

- **HMIS-ratings (scale 0 - 4)**



Health = \*0

Fire = 3

Reactivity = 3

- **HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

Trade name: Cartridges &amp; Pellets, Division 1.4

(Contd. of page 2)

### Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.


















WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

## 3 Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 121-82-4 EINECS: 204-500-1	perhydro-1,3,5-trinitro-1,3,5-triazine  T R25;  E R2  Expl. 1.1, H201  Acute Tox. 3, H301	NA%
CAS: 2691-41-0 EINECS: 220-260-0	octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine  T R24;  Xn R22;  E R2  Expl. 1.1, H201  Acute Tox. 3, H301; Acute Tox. 3, H311	NA%
CAS: 20062-22-0 EINECS: 243-494-5	2,2',4,4',6,6'-hexanitrostilbene  T R25;  E R2  Expl. 1.1, H201  Acute Tox. 3, H301	NA%
CAS: 38082-89-2	2,6-bis(picrylamino)-3,5-dinitropyridine (PYX)  E R2  Expl. 1.1, H201	NA%
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular  E R3  Expl. 1.1, H201	NA%

(Contd. on page 4)

# Safety Data Sheet



















according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

Trade name: Cartridges &amp; Pellets, Division 1.4

(Contd. of page 3)

CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	glycerol trinitrate  T+ R26/27/28;  E R3;  N R51/53 R33  Unst. Expl., H200  Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330  STOT RE 2, H373  Aquatic Chronic 2, H411 Flam. Liq. 2, H225	NA%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate  O R8  Ox. Sol. 2, H272	NA%
CAS: 84-74-2 EINECS: 201-557-4 Index number: 607-318-00-4	dibutyl phthalate  T Repr. Cat. 2, 3 R61;  Xn R62;  N R50  Repr. 1B, H360Df  Aquatic Acute 1, H400	NA%
CAS: 7440-44-0 EINECS: 231-153-3	carbon  Xi R36/37  Eye Irrit. 2, H319; STOT SE 3, H335	NA%
CAS: 7704-34-9 EINECS: 231-722-6 Index number: 016-094-00-1	sulfur  Xi R38  Skin Irrit. 2, H315	NA%

• **SVHC**

84-74-2 | dibutyl phthalate

• **Additional information:** For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

• **4.1 Description of first aid measures**• **General information:** Adverse health effects are not reasonably expected from normal use of product.• **After inhalation:**

Unlikely route of exposure.

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** Blast injury if mishandled.• **Hazards** Danger of blast or crush-type injuries.

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

**Trade name: Cartridges & Pellets, Division 1.4**

(Contd. of page 4)

· **4.3 Indication of any immediate medical attention and special treatment needed**

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

## 5 Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

· **For safety reasons unsuitable extinguishing agents:** None.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Cool endangered receptacles with water spray.

Eliminate all ignition sources if safe to do so.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

## 6 Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Use respiratory protective device against the effects of fumes/dust/aerosol.

Keep away from ignition sources.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

Trade name: Cartridges &amp; Pellets, Division 1.4

(Contd. of page 5)

## 7 Handling and storage

### 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.  
Handle with care. Avoid jolting, friction and impact.

### 7.2 Information about fire - and explosion protection:

Protect from heat.  
Prevent impact and friction.  
Keep ignition sources away - Do not smoke.  
Use explosion-proof apparatus / fittings and spark-proof tools.  
Use only in explosion protected area.  
Emergency cooling must be available in case of nearby fire.

### 7.3 Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

Store in a cool location.  
Use only receptacles specifically permitted for this substance/product.  
Avoid storage near extreme heat, ignition sources or open flame.

#### Information about storage in one common storage facility:

Store away from oxidizing agents.  
Store away from foodstuffs.

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

#### 7.4 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

##### 121-82-4 perhydro-1,3,5-trinitro-1,3,5-triazine

REL (USA) Short-term value: 3 mg/m<sup>3</sup>  
Long-term value: 1,5 mg/m<sup>3</sup>  
Skin

TLV (USA) Long-term value: 0,5 mg/m<sup>3</sup>  
Skin

EL (Canada) Long-term value: 0,5 mg/m<sup>3</sup>  
Skin

EV (Canada) Long-term value: 0,5 mg/m<sup>3</sup>  
Skin

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

**Trade name: Cartridges & Pellets, Division 1.4**

(Contd. of page 6)

### 55-63-0 glycerol trinitrate

PEL (USA)	Ceiling limit: 2 mg/m <sup>3</sup> , 0,2 ppm Skin
REL (USA)	Short-term value: 0,1 mg/m <sup>3</sup> Skin
TLV (USA)	Long-term value: 0,46 mg/m <sup>3</sup> , 0,05 ppm Skin
EL (Canada)	Long-term value: 0,05 ppm Skin
EV (Canada)	Long-term value: 0,5 mg/m <sup>3</sup> , 0,05 ppm Skin

### 84-74-2 dibutyl phthalate

PEL (USA)	Long-term value: 5 mg/m <sup>3</sup>
REL (USA)	Long-term value: 5 mg/m <sup>3</sup>
TLV (USA)	Long-term value: 5 mg/m <sup>3</sup>
EL (Canada)	Long-term value: 5 mg/m <sup>3</sup> R
EV (Canada)	Long-term value: 5 mg/m <sup>3</sup>

• **Additional information:** The lists valid during the making were used as basis.

• **8.2 Exposure controls**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Do not inhale dust / smoke / mist.

• **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

For spills, respiratory protection may be advisable.

• **Protection of hands:**



Protective gloves

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

**Trade name: Cartridges & Pellets, Division 1.4**

(Contd. of page 7)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

## 9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Solid material

**Colour:** Light grey

- **Odour:** Odourless

- **Odour threshold:** Not determined.

- **pH-value:** Not applicable.

- **Change in condition**

**Melting point/Melting range:** Not Determined.

**Boiling point/Boiling range:** Undetermined.

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not determined.

- **Auto/Self-ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Self-igniting:** Product is not self-igniting.

- **Danger of explosion:** Risk of explosion by shock, friction, fire or other sources of ignition.  
Heating may cause an explosion.

- **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

- **Vapour pressure:** Not applicable.

(Contd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

**Trade name: Cartridges & Pellets, Division 1.4**

(Contd. of page 8)

- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not applicable.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not applicable.
  - Kinematic:** Not applicable.
- **Solvent content:**
  - Solids content:** Not determined.
- **9.2 Other information** No further relevant information available.

## 10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.  
Danger of explosion.  
Exothermic reaction with acids.
- **10.4 Conditions to avoid**  
Keep ignition sources away - Do not smoke.  
Store away from oxidizing agents.  
Keep away from heat and direct sunlight.  
Cartridge may detonate if case is punctured or severely damaged.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides  
Toxic metal oxide smoke  
Flammable gases/vapours  
Irritant gases/vapours

(Contd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

Trade name: Cartridges &amp; Pellets, Division 1.4

(Contd. of page 9)

## 11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

### 55-63-0 glycerol trinitrate

Oral	LD50	115 mg/kg (mouse)
		105 mg/kg (rat)
Dermal	LD50	29 mg/kg (rat)
		280 mg/kg (rabbit)

### 84-74-2 dibutyl phthalate

Oral	LD50	8000 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Slight irritant effect on eyes.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

## 12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**

The product contains materials that are harmful to the environment.

No data is available on this product, but leachates of metal components may be harmful or toxic to aquatic life and waterfowl. Collection and careful disposal of spent cartridges is highly advisable. Lead and nickel are especially problematic when introduced into many ecosystems.

- **12.2 Persistence and degradability** Moderately /partly biodegradable
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Harmful to algae

- **Additional ecological information:**

- **General notes:**

This statement was deduced from the properties of the single components.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

(Contd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

Trade name: Cartridges &amp; Pellets, Division 1.4


(Contd. of page 10)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Must be specially treated adhering to official regulations.  
Damaged materials pose a danger to anyone in the immediate area; consult experts for disposal of damaged products.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## 14 Transport information

- **14.1 UN-Number**
- **DOT, ADR, IMDG, IATA** **UN0349 or UN0352**
- **14.2 UN proper shipping name**
- **DOT, IATA** Articles, explosive, n.o.s. (RDX, HMX, HNS, PYX, C-4, Black Powder or Smokeless Powder, as appropriate to composition)
- **ADR** UN0349 or UN0352 ARTICLES, EXPLOSIVE, N.O.S. (RDX, HMX, HNS, PYX, C-4, Black Powder or Smokeless Powder, as appropriate to composition)
- **IMDG** Articles, Explosive, n.o.s. (RDX, HMX, HNS, PYX, C-4, Black Powder or Smokeless Powder, as appropriate to composition)
- **14.3 Transport hazard class(es)**
- **DOT**
- 
- **Class** 1.4S (UN0349), 1.4D (UN0352)
- **Label** 1.4S (UN0349), 1.4D (UN0352)

(Contd. on page 12)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

Trade name: Cartridges &amp; Pellets, Division 1.4

(Contd. of page 11)

## · ADR, IMDG



- Class 1.4S (UN0349), 1.4D (UN0352)
- Label 1.4S (UN0349), 1.4D (UN0352)

## · IATA



- Class 1.4S (UN0349), 1.4D (UN0352)
- Label 1.4S (UN0349), 1.4D (UN0352)
- 14.4 Packing group
- DOT, ADR, IMDG, IATA II
- 14.5 Environmental hazards:
- Marine pollutant: No
- Special marking (IATA):



Cargo Aircraft Only (UN0352 only)

- 14.6 Special precautions for user Not applicable.
- EMS Number: F-A,S-Q
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
- Transport/Additional information:

- ADR
- Limited quantities (LQ) 0
- Transport category 2
- Tunnel restriction code E
- UN "Model Regulation": UN0352, Articles, explosive, n.o.s. (RDX, HMX, HNS, PYX, C-4, Black Powder or Smokeless Powder, as appropriate to composition), 1.4D, II

## 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

## · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 13)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

Trade name: Cartridges &amp; Pellets, Division 1.4

(Contd. of page 12)

• **Section 313 (Specific toxic chemical listings):**

55-63-0 glycerol trinitrate

84-74-2 dibutyl phthalate

• **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

• **Proposition 65 (California):**

• **Chemicals known to cause cancer:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for females:**

84-74-2 dibutyl phthalate

• **Chemicals known to cause reproductive toxicity for males:**

84-74-2 dibutyl phthalate

• **Chemicals known to cause developmental toxicity:**

84-74-2 dibutyl phthalate

• **Carcinogenic Categories**

• **EPA (Environmental Protection Agency)**

121-82-4 perhydro-1,3,5-trinitro-1,3,5-triazine

C

2691-41-0 octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine

D

84-74-2 dibutyl phthalate

D

• **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

• **TLV (Threshold Limit Value established by ACGIH)**

121-82-4 perhydro-1,3,5-trinitro-1,3,5-triazine

A4

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **Canada**

• **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

• **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

• **Canadian Ingredient Disclosure list (limit 1%)**

84-74-2 dibutyl phthalate

• **Other regulations, limitations and prohibitive regulations**

• **Substances of very high concern (SVHC) according to REACH, Article 57**

84-74-2 dibutyl phthalate

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 14)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

**Trade name: Cartridges & Pellets, Division 1.4**

(Contd. of page 13)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### • Relevant phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H225 Highly flammable liquid and vapour.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
  
- R2 Risk of explosion by shock, friction, fire or other sources of ignition.
- R22 Harmful if swallowed.
- R24 Toxic in contact with skin.
- R25 Toxic if swallowed.
- R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.
- R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- R33 Danger of cumulative effects.
- R36/37 Irritating to eyes and respiratory system.
- R38 Irritating to skin.
- R50 Very toxic to aquatic organisms.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R61 May cause harm to the unborn child.
- R62 Possible risk of impaired fertility.
- R8 Contact with combustible material may cause fire.

### • Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 WHMIS: Workplace Hazardous Materials Information System (Canada)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent

(Contd. on page 15)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 07.17.2014

Revision: 07.17.2014

**Trade name: Cartridges & Pellets, Division 1.4**

(Contd. of page 14)

Expl. 1.1: Explosives, Division 1.1  
Expl. 1.4: Explosives, Division 1.4  
Unst. Expl.: Explosives, Unstable explosives  
Flam. Liq. 2: Flammable liquids, Hazard Category 2  
Ox. Sol. 2: Oxidising Solids, Hazard Category 2  
Acute Tox. 2: Acute toxicity, Hazard Category 2  
Acute Tox. 3: Acute toxicity, Hazard Category 3  
Acute Tox. 1: Acute toxicity, Hazard Category 1  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
Repr. 1B: Reproductive toxicity, Hazard Category 1B  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3